

Updates for Middleware Applications

Sites:

Updates for Linux Applications Middleware

Updates for Windows Applications Middleware

Middleware Site Contents

Linux Middleware

- Apache Tomcat
- MySQL
- MariaDB
- PostgreSQL
- MongoDB
- OracleDB – Audit Only

Windows Middleware

- Apache Tomcat
- MongoDB

Supported Platforms

Linux Middleware

- RHEL Family
- Ubuntu LTS
- SUSE

The Oracle content does support AIX in addition to Linux.

Windows Middleware

- Windows Server

While Windows Desktop is not excluded, it is only in scope for experimental purposes.

How do I get the sites?

- If you are a Compliance customer, as a Master Operator, look to enable the sites in the License Overview dashboard in the Windows Console.
- This only needs to be done once per BigFix Root Server.
- You will then have to set which computers are subscribed to the site once the first gather has completed.

BigFix License Overview

Last Update: 7/14/2022 12:56:53 PM



OVERVIEW

BIGFIX MOBILE

COMPLIANCE

LIFECYCLE



[ENABLE](#)

ciscoamp

[ENABLE](#)

paloaltonetworks

[ENABLE](#)

updateslinuxappsmiddleware

[ENABLE](#)

updateswindowsappsmiddleware

Rows per page: All ▼

1-283 of 283



1

BigFix License Overview

Last Update: 7/14/2022 12:59:48 PM



OVERVIEW

BIGFIX MOBILE

COMPLIANCE

LIFECYCLE



ENABLED

[Patching Support](#)

4

ENABLED

[Updates for Linux Applications Middleware](#)

0

ENABLED

[Updates for Mac Applications](#)

0

ENABLED

[Updates for Windows Applications](#)

2

ENABLED

[Updates for Windows Applications Extended](#)

2

ENABLED

[Updates for Windows Applications Middleware](#)

0

ENABLED

[Vulnerability Reporting](#)

0

What makes the Oracle content different?

- In the “Updates for Linux Applications Middleware” site there is “**audit only**” content for OracleDB. This content requires running a policy action to get the version of OracleDB for the “audit only” content to become relevant.
- These are the Tasks which should be deployed to reapply once a day to once a week:
 - Get Patch List - Oracle ASM_RAC - Linux - Preview
 - Get Patch List - Oracle Standalone DB - Linux - Preview

What makes the Oracle content different?

- The content runs the "Oracle" upgrades as an `oracle` user instead of `root`
- We hope to make this easier to change in the future, but for now, a custom copy is required.

Can I deploy this content directly to my production servers?

- Probably not
- Depending on the OS / Software being patched, you may need to stop services first before installing the patches. You may even need to stop services on other endpoints before patching the database on a separate endpoint.
- This is something that BigFix Server Automation can help with, but it is outside of the scope of a single fixlet. That said, the content from these sites can be used within a BigFix Server Automation plan to automate a complex server patching scenario.

Will the middleware sites be available in WebUI Patch Policies?

- No.
- We think the complexity of patching middleware does not fit within the model of WebUI Patch Policies / Autopatch.

How do I request new software be added?

- **NOTE:** Federal customers should contact Devaughn Rackham instead of using the Ideas Portal.
 - Devaughn_Rackham@hclgov.com
- Please submit an Idea to the section currently labeled “Content” in the [HCL BigFix Ideas Portal](#) with the name of the software, the webpage you download the software from, and an example link to the actual downloaded file.
 - <https://bigfix-ideas.hcltechsw.com/?project=CON>
- Please vote on existing entries as well!

QnA

Any Questions?

Demo

License Overview

Sites

Content in Console

Oracle specifics

Content in WebUI